




IF YOU HAVE DIABETES, HAVE YOUR FEET CHECKED

Diabetes can lead to foot ulceration and is the N°1 cause of foot amputation¹. If not treated promptly, a diabetic foot ulcer can lead to amputation and a life-threatening risk.

Find out more at
savefeetsavelives.in
#savefeetsavelives



**Get your feet
checked now.**
**Discuss it with
your pharmacist
or doctor.**



**CLOSING WOUNDS,
SAVING FEET,
SAVING LIVES.**



D - FOOT
international

A program by Urgo Medical

Supported by D-FOOT International

1. International Diabetes Federation Atlas – 8th edition 2017: page 92.



IF YOU HAVE DIABETES, HAVE YOUR FEET CHECKED

Diabetes is the N°1 cause of foot amputation.¹
But with prevention, early identification and
appropriate treatment, up to 85% of these
amputations could be prevented.²

Find out more at
savefeetsavelives.in
#savefeetsavelives



**Get your feet
checked now.**
**Discuss it with
your pharmacist
or doctor.**


**CLOSING WOUNDS,
SAVING FEET,
SAVING LIVES.**



D - FOOT
international

A program by Urgo Medical

Supported by D-FOOT International



1. International Diabetes Federation Atlas - 8th edition 2017: page 92.
2. International Diabetes Federation Atlas - 9th edition 2019: page 89.



IF YOU HAVE DIABETES, DON'T IGNORE YOUR FEET

Diabetes is the N°1 cause of foot amputation.¹
If not spotted and treated promptly, a diabetic
foot ulcer can risk your life.

Don't wait to get your feet checked.

Find out more at
savefeetsavelives.in
#savefeetsavelives



**Get your feet
checked now.**
**Discuss it with
your pharmacist
or doctor.**

**CLOSING WOUNDS,
SAVING FEET,
SAVING LIVES.**



A program by Urgo Medical

D - FOOT
international

Supported by D-FOOT International



1. International Diabetes Federation Atlas, - 8th edition 2017, page 92.